


# "3PBPS1431-1DB" Pro-Bowl Sinks

Three Compartment Sinks w/ 1 Drainboard  
w/ Galvanized Base & Bracing



**PREMIUM:** 14 ga. 304 S/S welded Bowls  
14 ga. 304 S/S Drainboard and Splash  
10" Back Splash



**STANDARD:** 16 ga. 304 S/S welded Bowls  
16 ga. 304 S/S Drainboard and Splash  
10" Back Splash

STANDARD		PREMIUM	
16 Gauge	Qty	14 Gauge	Qty
3PBPS1431-1D18		43PBPS1431-1D18	
3PBPS1431-1D24		43PBPS1431-1D24	
3PBPS1431-1D30		43PBPS1431-1D30	

## **FEATURES:**

- \* Standard 16 Gauge (optional 14 gauge)  
Type 300 stainless steel with # 3 polish, satin finish
- \* 12" Deep Bowls (optional 14" deep bowls)
- \* All Corners, both vertical and horizontal, coved at 5/8" radius
- \* Bottoms of bowls formed for drainage to 3-1/2" diameter die stamped opening
- \* Full length **10" High Boxed Backsplash**, with 2" return to wall at 45 degree and 3/4" turned down rear lip
- \* 1-1/2" Faucet Holes in Backsplash
- \* Solid Stainless Steel front panel, type 300 stainless steel with # 3 polish, satin finish
- \* All outside corners of assembly are Bullnosed to provide safe, clean and polished edge
- \* Standard legs 1-5/8" diameter, 16 gauge galvanized steel 100% pre-galvanized steel - **Not Plated** (optional stainless steel)
- \* Legs located directly under sink bowls, providing increased stability and maximum weight support

**Must specify Left or Right  
Drainboards**

**Bowl Sizes:**

14" X 31"

## **CONSTRUCTION:**

**Top:** Stainless Steel Sinks are TIG welded, Exposed welds are polished to match adjacent surface.  
**Bases:** Galvanized Bases are MIG welded

## **MATERIAL:**

**Bowls &** 16 gauge stainless Steel (optional 14 Gauge)  
**Top:** Type 300 stainless steel with # 3 polish, satin finish  
**Legs:** 1 5/8" Round O.D., 16 gauge galvanized steel 100% pre-galvanized steel - **Not Plated**  
**Bracing:** 1 1/4" Round O.D., 16 gauge galvanized steel 100% pre-galvanized steel - **Not Plated**  
**Gussets:** Stainless Steel  
**Feet:** 1" adjustable galvanized bullet feet

## **OPTIONAL ACCESSORIES**

	Qty
END SPLASHS, RIGHT , LEFT or BOTH	
14" DEEP BOWLS	
14 GAUGE	
FAUCETS	
ADD-A-FAUCETS	
PRE-RINSE UNITS	
LEVEL WASTE	
OVERSHELVES	
POT RACK	
STAINLESS STEEL FEET	





**R.W. Rogers Company**  
610 S. Kirk Rd., St. Charles, IL 60174  
Phone: 630-377-9033 \* Fax: 630-377-2073  
<http://www.rwrogerscompany.com>




# DETAILED SPECIFICATIONS

BOWLS	F	G	H
14 X 31	36-1/2"	31	18-7/16"



STANDARD 16 GAUGE					
MODEL	BOWL SIZE	DIMENSIONS	DB	WT.	
3PBPS1431-1D18	14 X 31 X 12	64-3/16" X 36-1/2"	18"	305	
3PBPS1431-1D24	14 X 31 X 12	70-3/16" X 36-1/2"	24"	315	
3PBPS1431-1D30	14 X 31 X 12	76-3/16" X 36-1/2"	30"	325	

A	14"
B	12"
C	10"
D	43"



PREMIUM 14 GAUGE					
MODEL	BOWL SIZE	DIMENSIONS	DB	WT.	
43PBPS1431-1D18	14 X 31 X 12	64-3/16" X 36-1/2"	18"	336	
43PBPS1431-1D18	14 X 31 X 12	70-3/16" X 36-1/2"	24"	347	
43PBPS1431-1D18	14 X 31 X 12	76-3/16" X 36-1/2"	30"	358	

All dimensions are typical.

Tolerance +/- .500".

All units ship unassembled for reduced shipping cost.




**R.W. Rogers Company**

610 S. Kirk Rd., St. Charles, IL 60174  
Phone: 630-377-9033 \* Fax: 630-377-2073  
<http://www.rwrogerscompany.com>



# "2PBPS1431-2DB" Pro-Bowl Sinks

Two Compartment Sinks w/ 2 Drainboard  
w/ Galvanized Base & Bracing



**PREMIUM:** 14 ga. 304 S/S welded Bowls  
14 ga. 304 S/S Drainboards and Splash  
10" Back Splash



**STANDARD:** 16 ga. 304 S/S welded Bowls  
16 ga. 304 S/S Drainboards and Splash  
10" Back Splash

STANDARD		PREMIUM	
16 Gauge	Qty	14 Gauge	Qty
2PBPS1431-2D18		42PBPS1431-2D18	
2PBPS1431-2D24		42PBPS1431-2D24	
2PBPS1431-2D30		42PBPS1431-2D30	

## **FEATURES:**

- \* Standard 16 Gauge (optional 14 gauge)  
Type 300 stainless steel with # 3 polish, satin finish
- \* 12" Deep Bowls (optional 14" deep bowls)
- \* All Corners, both vertical and horizontal, coved at 5/8" radius
- \* Bottoms of bowls formed for drainage to 3-1/2" diameter die stamped opening
- \* Full length **10" High Boxed Backsplash**, with 2" return to wall at 45 degree and 3/4" turned down rear lip
- \* 1-1/2" Faucet Holes in Backsplash
- \* Solid Stainless Steel front panel, type 300 stainless steel with # 3 polish, satin finish
- \* All outside corners of assembly are Bullnosed to provide safe, clean and polished edge
- \* Standard legs 1-5/8" diameter, 16 gauge galvanized steel 100% pre-galvanized steel - **Not Plated** (optional stainless steel)
- \* Legs located directly under sink bowls, providing increased stability and maximum weight support

## **Bowl Sizes:**

14" X 31"

## **CONSTRUCTION:**

**Top:** Stainless Steel Sinks are TIG welded, Exposed welds are polished to match adjacent surface.  
**Bases:** Galvanized Bases are MIG welded

## **MATERIAL:**

**Bowls &** 16 gauge stainless Steel (optional 14 Gauge)  
**Top:** Type 300 stainless steel with # 3 polish, satin finish  
**Legs:** 1 5/8" Round O.D., 16 gauge galvanized steel 100% pre-galvanized steel - **Not Plated**  
**Bracing:** 1 1/4" Round O.D., 16 gauge galvanized steel 100% pre-galvanized steel - **Not Plated**  
**Gussets:** Stainless Steel  
**Feet:** 1" adjustable galvanized bullet feet

## **OPTIONAL ACCESSORIES**

	Qty
END SPLASHS, RIGHT , LEFT or BOTH	
14" DEEP BOWLS	
14 GAUGE	
FAUCETS	
ADD-A-FAUCETS	
PRE-RINSE UNITS	
LEVEL WASTE	
OVERSHELVES	
POT RACK	
STAINLESS STEEL FEET	





**R.W. Rogers Company**  
610 S. Kirk Rd., St. Charles, IL 60174  
Phone: 630-377-9033 \* Fax: 630-377-2073  
<http://www.rwrogerscompany.com>




# DETAILED SPECIFICATIONS

BOWLS	F	G	H
14 X 31	36-1/2"	31"	18-7/16"



STANDARD 16 GAUGE				
MODEL	BOWL SIZE	DIMENSIONS	DB	WT.
2PBPS1431-2D18	14 X 31 X 12	67-1/4" X 36-1/2"	18"	270
2PBPS1431-2D24	14 X 31 X 12	79-1/4" X 36-1/2"	24"	300
2PBPS1431-2D30	14 X 31 X 12	91-1/4" X 36-1/2"	30"	335

A	14"
B	12"
C	10"
D	43"



PREMIUM 14 GAUGE				
MODEL	BOWL SIZE	DIMENSIONS	DB	WT.
42PBPS1431-1D18	14 X 31 X 12	67-1/4" X 36-1/2"	18"	297
42PBPS1431-1D18	14 X 31 X 12	79-1/4" X 36-1/2"	24"	330
42PBPS1431-1D18	14 X 31 X 12	91-1/4" X 36-1/2"	30"	369

All dimensions are typical.

Tolerance +/- .500".

All units ship unassembled for reduced shipping cost.



**R.W. Rogers Company**  
 610 S. Kirk Rd., St. Charles, IL 60174  
 Phone: 630-377-9033 \* Fax: 630-377-2073  
<http://www.rwrogerscompany.com>

